PRIMARY ELECTION ED Accessible Voting System Quick Reference

PCT ____

AUDIO INSTRUCTIONS (USE HEADSET)

CLERK INSTRUCTIONS:

- 1. Get AVS Blank Ballot Card from 2nd Drawer BLUE Security Cart.
- 2. Take AVS Blank Ballot Card, Voter Certificate, and this card to the Accessible Voting System.
- 3. Insert blank ballot card into front card slot (Ensure cut corner of blank ballot card is facing right.)
- 4. On the **Precinct Selection**: Search screen, touch **Search** to view a list of precincts.
- 5. On the **Precinct Selection**: Results screen, Touch Precinct # matching Voter Certificate. (Ex: PCT1)
- 6. On AVS Screen, touch **Ballot Style** matching Voter Certificate. (Ex DEM, REP, NPA)(ES = Spanish)

WARNING

Once you touch Activate, you cannot change your selection AVS be completely turned off and back on.

- 7. On **Confirm Selections** screen, verify PCT # and Ballot Style match Voter Certificate, touch **Activate**.
- 8. On **Select a Language** screen, confirm preferred language with Voter and touch English or Español.
- 9. If you touch the wrong language, touch the "Previous" button to go back.
- 10. Hand **Voter Interface Keypad** to voter and explain use of buttons.
- 11. Tell voter he/she must listen to all choices in contest before moving to next contest.
- 12. Give Voter the headset with ear covers and assist if needed using the other headset.
- 13. Give Voter privacy, but remain nearby in case they need further assistance.
- 14. After Voter is finished voting, direct Voter to Ballot Counting System to cast their ballot.

VOTER INSTRUCTIONS:

- 1. Follow instructions on screen to make your selections.
- 2. After making all selections, review choices on the **Verify Selections** screen.
- 3. To make changes press the contest listing.
- 4. After reviewing all selections, Press **Print Card** (Any change after the ballot card is printed requires a new blank ballot card to be issued by Clerk at the Blue Security Cart)
- 5. After printing is complete, Pull completed ballot card from front card slot.
- 6. You may insert your ballot into a secrecy sleeve.
- 7. Take ballot to Ballot Counting System.

PRIMARY ELECTION ED Accessible Voting System Quick Reference

TOUCH SCREEN INSTRUCTIONS

CLERK INSTRUCTIONS:

- 1. Get AVS Blank Ballot Card from 2nd Drawer BLUE Security Cart.
- 2. Take AVS Blank Ballot Card, Voter Certificate, and this card to the Accessible Voting System.
- 3. Insert blank ballot card into front card slot (Ensure cut corner of blank ballot card is facing right.)
- 4. On the **Precinct Selection**: Search screen, touch **Search** to view a list of precincts.
- 5. On the **Precinct Selection**: Results screen, Touch Precinct # matching Voter Certificate. (Ex: PCT1)
- 6. On AVS Screen, touch **Ballot Style** matching Voter Certificate. (Ex DEM, REP, NPA)(ES = Spanish

WARNING

Once you touch Activate, you cannot change your selection AVS be completely turned off and back on.

- 7. On **Confirm Selections** screen, verify PCT # and Ballot Style match Voter Certificate, touch **Activate**.
- 8. On Select a Language screen, confirm preferred language with Voter and touch English or Español.
- 9. If you touch the wrong language, touch the "Previous" button to go back.
- 10. Instruct voter to touch the candidate name of their choice on the screen and follow the arrow buttons.
- 11. Give Voter privacy, but remain nearby in case they need further assistance.
- 12. After Voter is finished voting, direct Voter to Ballot Counting System to cast their ballot.

VOTER INSTRUCTIONS:

- 1. Follow instructions on screen to make your selections.
- 2. After making all selections, review choices on the **Verify Selections** screen. To make changes press the contest listing.
- 3. After reviewing all selections, Press **Print Card** (Any change after the ballot card is printed requires a new blank ballot card to be issued by Clerk at the Blue Security Cart)
- 4. After printing is complete, Pull completed ballot card from front card slot.
- 5. You may insert ballot into a secrecy sleeve.
- 6. Take ballot to the Ballot Counting System.